



DELTA line, titanium white frame 5-fold, 364x 80 mm

Model	
product brand name	DELTA
product designation	Frame
design of cover frame flush design	No
General technical data	
surface processing	others
material	thermoplastic
Protection class	
protection class IP	IP20
Suitability	
suitability for integration	
<ul style="list-style-type: none"> • built-in installation 	No
<ul style="list-style-type: none"> • device installation duct 	No
<ul style="list-style-type: none"> • underfloor duct box 	No
<ul style="list-style-type: none"> • flush mounting 	Yes
Appearance	
appearance	shiny
RAL color number	9010
color	Titanium white
Product details	
product component	
<ul style="list-style-type: none"> • labeling field 	No
<ul style="list-style-type: none"> • hinged lid 	No
product feature	
<ul style="list-style-type: none"> • halogen-free 	Yes
<ul style="list-style-type: none"> • transparent 	No
Number	
number of units	5
Mechanical Design	
height	364 mm
width	80 mm
fastening method	terminal mounting
mounting position	horizontal and vertical
material of cover frame	plastic
Approvals Certificates	
General Product Approval	other



Environment

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2555-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2555-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2555-0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



